


Draft Unified Development Ordinance
City of Columbia, Missouri
Development Code Update



# Case # 16-110 Unified Development Code Public Information & Comment

#### **Discussion**

- Project began in January 2014
- Code prepared by Clarion Associates and Ferrell-Madden (M-DT)
- "Module" meetings held between January 2014-November 2015
- Four public information/ comment session



### **Discussion**

- Topics to be covered:
  - Parking and Loading
  - Landscaping, Screening, and Tree Preservation
  - Exterior Lighting
  - Signage





# Parking -

- Exceptions updated
- Most standards being adjusted (typically less)
- Simplification in calculations
- Coordinated with Land Use Tables
- New parking alternatives
- Maximum limits on parking
- Clarification on use of yards
- Parking garage standards



- Parking standard exceptions:
  - M-DT, if provide must comply with BFS standards
  - Small lots
    - Less than 10,000 sq.ft in Mixed-use districts
    - Front lot line not within
       100 ft residential district
  - PD districts; if reduction is requested
  - Historic structures
    - No new required
    - Existing on-site retained& improved to standards



- Permitted use changes must provide required parking, except:
  - When parking on-site is within 75% of that required for new use; and
  - The maximum amt. of parking is provided on-site without removing or partially removing existing building
- Detached residential garages
  - No closer than 20-feet to front property line
  - Not forward of principal building

Table 4.4 – 1: Minimum Required Off-Street Parking
(and Maximum Permitted Off-Street Parking for Selected Uses) <sup>674</sup>
sf = square feet; gfa = gross floor area

New Category	Current Standard	Proposed Standard
Hotel or motel	1 space/room plus 1 space/20 rooms (to accommodate motel/hotel staff) plus 75% of the normal spaces required for accessory uses (e.g. banquet rooms, meeting rooms, restaurants, etc.) if applicable.	2 spaces/ 3 guest rooms + 1 space/ 200 sf gfa in all accessory uses including restaurants and meeting rooms
Travel Trailer Park		1 space / 1,500 sf of land area
Office		
Commercial or Trade School	1 space/employee station plus 1 space/each 5 students except nursery schools which require 1 space/employee or teacher station	1 space/ 400 sf of enclosed floor space
Office	Banks - Walk-in facility: 1 space/250 sq. ft.; Drive-thru facility: 1 space/300 sq. ft. plus 3 stacking spaces for each drive-up window; Medical office: 1 space/each 200 sq. ft.; Office: 1 space/300 sq. ft.	1 space/ 300 sf gfa (General) <sup>685</sup> 1 space/ 200 sf gfa (Medical)
Research and Development Laboratory		1 space/ 600 sf gfa
Wholesale Sales Offices and Sample Room		1 space/ 600 sf gfa
Personal Services		
Personal Services, General	Barber and beauty shop: 2 spaces/chair or operator station; Dry cleaning/laundry: 1 space/300 sf	1 space/ 400 sf gfa
Self-service Storage Facilities	1 space/20 rental units plus 2 spaces for the "office"; Rows between storage buildings shall be designed to allow for simultaneous vehicle parking and passage.	1 space/ 20 storage units
Tree or Landscaping Service		1 space/ 1,000 sf gfa

## **Required Parking -**

- Calculations simplified
- Standards added for undefined/new uses
- Generally reduced for most uses most notable:
  - Multi-family
  - Schools
  - Drive-thru restaurants
  - Indoor & outdoor recreation
- More parking for fraternities, sororities, dorms
- Parking Table footnotes provide rational for changes



# **Parking Alternatives -**

- Transit incentives
  - 20% reduction if within ½
    mile transit center or transit
    line that is a connecting
    point to 4 other transit lines
  - 30% reduction for pedestrian (M-N) or transit (M-C) developments
  - 5% reduction for parcels greater than 2 ac that provide transit pull-off and shelters
- If route changes occur land use is legal non-conforming



### **Shared Parking -**

- Provisions updated
  - Same or separate parcels (w/in 600 feet)
  - Reduction is calculated by reduction ratio (new)
  - Options for reducing on-site parking for food, beverage, and indoor entertainment as well as religious uses per Director discretion
  - Parking Agreement standards clarified
- Option for off-site parking w/in 1000 feet retained – no reduction w/o variance



# **Parking Credits -**

- Public Parking
  - Partial or full credit if w/in 1000 feet, subject to determination of availability
- On-street Parking
  - One-for-one credit if w/in 250 feet; subject to assessment of usage

#### **Additional Reductions -**

- Parking Demand study
  - Prepared parking/traffic consultant
  - Provision would eliminate need for variance hearing



### Maximum parking -

 125% of required - mixeduse districts & buildings greater than 50,000 GFA


#### Location -

- Parking must be on-site; unless otherwise permitted
- In M-N district not forward of front bldg. façade, except for double-loaded when not in front setback
- Residential driveways cannot cover more than 500 sq. ft or 30% required front or rear yard



#### **Location -**

- Parking in front or rear yard prohibited; except on approved driveway
- Parking perpendicular to drive prohibited (except in rear yard)
- Rear yard parking screened by 4-6 foot tall device
- Parking not permitted closer than 6-feet to one or twofamily uses



## Parking Access -

- Parking areas shall be paved
- 2 points of access required for over 200 spaces
- Tandem parking permitted in one and two-family dwellings
- Garages (detached or attached) for uses other than one or two-family no closer than 60-feet to front lot line.



# Parking Garages –

- New design requirements applying to:
  - Accessory parking structures
  - Commercial (private)
  - Portions of structures occupied by parking
- Requirements address
  - Setbacks
  - Height
  - Location of accesses
  - Floor angle
  - Façade treatment
  - Landscaping
  - Interior lighting



# Landscaping, Screening, Tree Preservation -

- Provisions enhanced and clarified
- Added Tree Preservation from Chapter 12A
- Update street frontage landscaping provisions
- Modified property edge buffering requirements
- Update parking lot landscaping standards
- Include provisions for "Mature/Significant" tree preservation



## Applicability -

- New structure construction
- Increases in floor area greater than 25%
- Structure relocation
- Reconstruction following "act of God" with 10% increase in floor area
- New parking lot construction of more than 10 spaces
- Reconstruction of existing parking lot
- Tree Preservation applies to parcel greater that 10,000 sq.ft



## **Landscaping Plan-**

- Provisions clarified
- May be submitted by Arborist or other design professional
- Climax Forest provisions added to plan requirements
  - Climax forest to be located on single parcel; exceptions permitted
- Tree Task Force added provisions for building permit delay for illegal clearing

# Check off the Minimum Requirements

#### **Minimum Standards -**

- M-DT "public or private" open space – 1 tree per 800 sq. ft.
- 15% of site area includes street frontage, property edge buffering, and parking lot landscaping
- Minimum plant diversity and size standards established to clarify expectation and ensure diverse plant mixture on sites
- Roof-top screening provisions modified to apply R-MF and Mixed-use districts
- New standards for seasonal planting



## Street Frontage -

- 6-foot landscape strip required when:
  - Frontage length is 40-feet
  - 25-feet from right of way
- Street tree placement every 40-feet
  - Generally in right of way; if not sufficient trees must be in private landscaped strip
  - Street trees do not count for toward other landscaping requirements of 29-4.5
- Detached structures along arterial/collector streets must provide screening



# **Property Edge Buffers -**

- Applicable to:
  - Lots over 10,000 sq. ft.
  - 1,500 sq. ft. paved area
  - Any vehicle loading/ unloading areas
- Plants required on applicant side of screen, except where otherwise required by "Neighborhood Protection" requirements
- All screening required to be 80% opaque between 1 and 5 feet at time of planting
- New standards landscape buffer plant mixture proposed

Table 4 5-2:	Transitional	Scrooning	g and Buffering 1
Table 4.5-2:	Transitional	Screenin	g and Buffering <sup>*</sup>

Applicant's	Use of Subject Pro	operty

	Adjacent Zone District	Adjacent Use	Single-Family		Multi-Family		Mixed-Use		Commercial		Industrial
ties	Zone District	Structure Type	Res.	Non-Res.	Res.	Non-Res.	Vert.	Horiz.	1-3 Stories	3+ Stories	
ber	Single-Family	Residential	0	2	1	2	3	3	3	3	2
Pro		Non-Residential	0	0	2	1	1	1	1	2	5
Ħ	Multi-Family	Residential	0	2	0	2	2	2	3	3	2
ace		Non-Residential	0	0	1	0	1	1	1	2	5
۸dja	Adianal Han	Vertical	0	1	2	1	0	0	1	2	2
of	Mixed-Use	Horizontal	0	1	2	1	0	0	0	1	3
Use	Commercial	1-3 Stories	0	1	3	1	1	0	0	<u>1</u>	3
_		3+ Stories	0	0	3	2	2	1	0	0	3
	Industrial		0	0	3	3	3	3	3	3	0

Level 0 does not require a screen or landscape buffer.

Level 1 requires a six foot wide landscape buffer.2

Level 2 requires a four-foot wide landscape buffer and a six foot tall screening device.<sup>3</sup>


Level 3 requires a 10-foot wide landscape buffer and an eight-foot tall screening device.4

<sup>&</sup>lt;sup>1</sup> New and stronger buffering requirements than in current Sec. 29-25(e)(5).

<sup>&</sup>lt;sup>2</sup> Revised from four to six feet.


<sup>&</sup>lt;sup>3</sup> Minimum height of screening revised from four to six feet.

<sup>&</sup>lt;sup>4</sup> Minimum height of screening revised from six to eight feet.



### Parking Lot Landscaping -

- 10% landscaping required based on paved area (includes access drives)
- Interior landscape strips 10feet wide with 1 tree per 40 linear feet of landscape area
- 150 spaces max per parking area - separated by 10-foot landscape strip with 1 tree per 40 linear feet and 4 categories of plants



# Parking Lot Landscaping -

- Pre-existing parking lots built before 8/19/91 over 4,000 sq. ft. or expanded by 4,000 sq. ft must have 1 tree for each 4000 sq.
- For each additional tree added in the interior parking for the use may be reduced by 3 spaces
- For each additional tree added in a perimeter bump/bulb-out parking for the use may be reduced by 2 spaces



# **Existing Landscape Preservation-**

- Standards created to protect significant and mature trees
  - Applies to parcels greater than 1 acre regardless of platting status
  - All new subdivision approved after UDO adoption
  - Standards do not apply to single-family (detached/ attached) or two-family structures
- Significant trees are those over 20 inches DBH
- Credits for trees over 5 inchesDBH retained on site



# **Existing Landscape Preservation-**

- Credits not given for preserved trees in stream buffer, tree preservation area, or undevelopable land
- Credits applied to required trees to plant per 29-4.5.
- 25% of significant trees must be retained on-site.
- Removal of significant trees permitted subject to replacement criteria or a fee-in-lieu option



# **Alternatives & Adjustments**

- Code provides options for alternative materials and methods to meet landscaping standards
  - Modifications must be approved in writing or in plan by Director
- Director can modify:
  - Property Edge Buffering
  - Street Frontage Landscaping
  - Parking for reconstruction/ redevelopment to ensure Street Frontage Landscaping
- Scope of compliance with 29-4.5 for reconstruction/redevelopment projects is limited to scope of development – not whole site.





## **Exterior Lighting -**

- Carries forward majority of existing 29-30. Revisions limited to:
  - Energy Efficiency
  - Glare Reduction
  - Community Safety
- Application and technical details within standards will be moved to an administrative manual
- Code will now required full cut-off fixtures
- Light pole heights are also subject to Neighborhood Protection standards










### Signage-

- Carries forward majority of existing Chapter 23.
- Revisions limited to:
  - Relocation of definitions
  - Applicability provides cross references to other UDO section for continuity
  - Limited clarifications (as noted)
  - Limited reorganization of tabular content (as noted)
- Consultant reviewed regulations for potential content-based regulations and has advised Law Department of possible issues



### **Discussion**

- Moving forward
  - Informational meetings
    - July 21
  - PZC Public Hearing
    - August 18 (tentative)
  - City Council Intro
    - September 19 (tentative)
- July 21 Enforcement and Procedures
- August 18 (tentative) PZC Final Public Hearing
- September 19 (tentative) City Council Intro

# Accessing the Draft Regulations

The draft regulations are available at:

www.CoMo.gov/community-development/planning

